

[:esGB M60L[:



Price: 2.300,00 €

SKU: AD252300217011

Product Categories: [Hydraulic breakers](#)

Product Tags: [GB](#)

Product Page:

<https://www.aurteneche.com/en/product/martillo-hidraulico-gb-m60l/>

Product Description

[:es]Modelo: M60L

Nº Serie: 198

Año: 2.010[:]

Product Gallery



GENERAL BREAKER

T-series

Here is the most advanced

GB Models satisfy

what operators want to achieve.



GBM6CL

GBM90L

GB1TL

GB2TL

GB3TPL

GB4TL

SPECIFICATIONS

Description	Unit	GBM60	GBM90	GB1T	GB2T	GB3TP	GB4T	GB5T	GB1M	GB4T	GB4AT/TL	GB4T
Oil flow rate	liters/gpm	15-30 4-8	20-35 5-9	24-50 6-13	34-60 9-16	40-80 10-21	45-85 12-22	65-110 22-29	80-115 24-30	100-120 26-32	120-150 32-40	130-150
Operating oil pressure	bar/psi	75-95 1,102-1,380	80-100 1,175-1,470	90-120 1,303-1,754	95-130 1,386-1,911	100-140 1,470-2,058	130-150 1,911-2,205	150-170 2,205-2,499	150-170 2,205-2,499	150-170 2,205-2,499	180-180 2,632-2,646	180-180 2,632-2,646
System relief	bar/psi	150 2,175	150 2,175	150 2,175	160 2,320	160 2,320	180 2,610	200 2,900	200 2,900	200 2,900	210 3,045	210 3,045
Blows per minute	bpm	800-1,400	650-1,200	550-1,100	450-1,000	475-950	480-850	450-780	420-730	420-700	350-680	370-660
Impact energy	ft-lb/kJ	180 133	220 166	320 228	600 442	700 516	1,270 943	2,000 1,475	2,200 1,622	2,200 1,622	4,500 3,319	5,000 3,688
Tool diameter	mm/inch	40 1.57	45 1.77	58 2.28	70 2.75	75 2.95	90 3.54	100 3.93	115 4.53	125 4.92	135 5.31	140 5.51
Oil hose diameter	mm/inch	13 1/2	13 1/2	13 1/2	13 1/2	13 1/2	18 3/4	18 3/4	26 1	26 1	26 1	26 1
Back head assist oil pressure	bar/psi	14 203	14 203	14 203	16.3 236	16.3 236	16.3 236	16.3 236	14 203	16.3 236	16.3 236	16.3 236

4

GB Hydraulic Breaker